

CELLENION 
A BICO COMPANY

cellenONE®

Single cell sorting, isolation & nanoliter dispensing
for omics, rare cells and cell line development applications



About cellenONE®

cellenONE® is a unique platform combining high accuracy single cell isolation and precision nanoliter reagent dispensing, allowing miniaturization of a range of single cell omics protocols and enabling automated cell line development workflows with best-in-class clonal outgrowth.

cellenONE® enables

- Single cell sorting and isolation
- Miniaturized single-cell omics workflows
- Automated cell line development
- Processing of any sample
(from just 1 cell up to 50,000 cells)


Key features




100% single cell



Optional integration in Class II Biosafety Cabinet for sterility




Combined with nanoliter reagent dispensing



Fluorescence and brightfield image-based sorting



Image recording for every cell



Best clonal outgrowth rate

Benefits

Accuracy

- Up to 100% single cell accuracy (no doublet, no empty well, no debris)

Viability


- Ultra-gentle dispensing technology offers best-in-class clonal outgrowth
- Temperature control improves fragile cells' viabilities (e.g. iPSC)

Image-based technology

- User-defined sorting parameters (morphology and/or fluorescence markers)
- Increased assurance of monoclonality – fully documented with automated PDF report generation
- Immediate visual feedbacks on sample preparation (e.g. quality of tissue dissociation)
- Link phenotypic and morphological information with omics data

Ideal for rare cells

- Compatible with samples containing very few cells (e.g. spheroids, organoids, microbiopsies)
- Any sample volume from just 1 μL (no dead volume)
- Recovery tube collects all non-isolated cells for reprocessing and maximal recovery of precious samples



Benefits (continued)

Versatility

- Any cell type, from microbial cells to large cells (0.5 – 80 μm)
- Compatible with any standard well plate (i.e. 96-, 384-, 1536-) or custom labware

Miniaturization

- High precision pL to nL reagent dispensing
- Compatible with a wide range of reagents (both aqueous and organic)
- Temperature, humidity and dew-point control to prevent evaporation

Time and cost savings

- High throughput: isolate 96 cells in less than 3 minutes
- Automation and miniaturization of workflows reduce labour and reagent consumption
- Save several weeks compared to traditional cell line development workflows (e.g. limiting dilution)

Technology


Piezo-acoustic droplet generation for ultra gentle cell isolation Image-based, multi-parameter detection and sorting

How it works

1. Cell suspension is loaded in a glass capillary
2. Capillary tip is placed in front of an optical system
3. Capillary tip is segmented into two zones

Ejection Zone = volume corresponding to the next generated droplet

Sedimentation Zone = safety zone considering possible cell sedimentation



4. If the next droplet contains only a single cell that fits user-defined parameters (size, fluorescence markers), it is dispensed into target labware. Otherwise, it is dispensed into a recovery vial, allowing reprocessing.

5.

Applications

Single Cell Omics

Isolation and sample preparation prior to analyses

Cell Line Development

Automated cloning



These are just some of the main applications enabled by cellenONE®. If you'd like to undertake other applications or discuss your single cell application needs, our Sales and Application teams can assist.

Product Specifications


Sorting Technology	Brightfield and/or Multi-fluorescence (Blue, Green, Orange and Red) images
Dispensing technology	sciDROP PICO: 250-600 pL / single drop
Number of dispensing channels	Up to 2 channels
Spottable area (X x Y)	252 x 112 mm
Target capacity	2 MTPs or 8 standard glass slides
Axis system	X-Y Linear Magnetic Drive, Z Spindle Drive
Axis precision	< 3 μ m
Dimensions with enclosure (L x Z x H)	650 x 700 x 1590 mm
Weight	205 kg



Related products	Catalog No.
cellenONE X1	F00C
cellenONE F1.4	F00CBSC
cellenONE X1 BSC	F00CF4
cellenONE F1.4 BSC	F00CF4BSC

Do you want to see
cellenONE in action?

Book a demo through
our website.



[cellenion.com](https://www.cellenion.com)

Contact Us

Cellenion SASU

60 Avenue Rockefeller
Bioserra 2, 69008
LYON France
Tel: +33 986 48 70 70
contact@cellenion.com
www.cellenion.com

SCIENION GmbH

Volmerstr. 7b
D-12489 Berlin
Germany
Tel: +49 (0)30 6392 1700
support@scienion.com
www.scienion.com

SCIENION US, Inc

4405 E. Baseline Road Suite
#123
Phoenix, AZ. 85042
United States
Tel: +1 (888) 988-3842
USsalesupport@scienion.com

SCIENION (UK) Ltd

Chichester Enterprise
Centre
Terminus Road,
Chichester PO19 8TX
United Kingdom
Tel: +44 (0) 1243 88 71 65
support@scienion.com